ELSEVIER

International Journal of Mass Spectrometry 182/183 (1999) 437

International Journal of Mass Spectrometry

Author index

Allison, J., 163
Antoniotti, P., 63
Armentrout, P.B., 99
Asano, K.G., 275

Baranov, V., 349
Bartlett, M.G., 415
Beauchamp, J.L., xi, 121
Blanksby, S., 203
Bluhm, B.K., 185
Bohme, D.K., 349
Bowers, M.T., 243
Bowie, J.H., 203
Brodbelt, J.S., 311
Buchanan, J.W., 323
Buckner, S.W., 197
Busch, K.L., 415

Caraiman, D., 349
Carpenter, B.K., 1
Cassady, C.J., 233
Castleman, A.W., Jr., 31
Comisarow, M.B., 139
Compton, R., 335
Cooks, R.G., 423
Crellin, K.C., 121

Davis, T.P., 73
Decouzon, M., 121
Denisov, E.V., 357
Diefenbach, M., 85
Dinca, A., 73
Dunbar, R.C., 175
Duncan, M.A., 323

Eberlin, M.N., 369
Evans, C., 423

Feng, B., 423
Fisher, K.J., 53, 73
Freiser, H., xiii
Freitas, M.A., 221
Futrell, J.H., 357

Garcia, B.A., 261
Geiger, R.J., 415
Geribaldi, S., 121
Goddard, W.A., III, 121
Goeringer, D.E., 275
Grieves, G.A., 323
Grill, V., 423
Gross, M.L., 289

Harvey, J.N., 85
He, F., 261
Hettich, R., 335
Ho, Y.-P., 175
Horn, D.M., 1
Hwang, C.T., 253

Kaffashan, A., 299
Kais, S., 23
Kelleher, N.L., 1
Kenttämaa, H.I., 253
Kneen, K.R., 163
Koster, G., 213
Koyanagi, G.K., 349
Kruger, N.A., 1

Lahamer, A., 335
Leary, J.A., 299
Lebrilla, C.B., 261
Leroi, G.E., 163
Lifshitz, C., 213
Ling, Y., 349

Marshall, A.G., 221
McLafferty, F.W., 1
McLuckey, S.A., 275
McMahon, T.B., 381
Melnyk, M.C., 415
Mendes, M.A., 369
Mereand, E., 31

Neirotti, J.P., 23
Ngoka, L.C.M., 289
Nibbering, N.M.M., 7
Nikolaev, E.N., 357
Norrman, K., 381

O'Hair, R.A.J., 203
Operti, L., 63

Polce, M.J., 45
Pope, R.M., 197

Rabezzana, R., 63
Rakov, V.S., 357
Ramirez, J., 261
Reddic, J.E., 323
Reyzer, M.L., 311
Rodgers, M.T., 99
Russell, D.H., 185

Schröder, D., 85
Schwarz, H., 85
Serra, P., 23
Shen, J., 423
Shields, S.J., 185
Smith, D.R., 73
Smith, G., 299
Sparrapan, R., 369
Squires, R.R., 149
Stumpf, C.L., 253
Styles, M., 203
Sunderlin, L.S., 149

Taylor, S.M., 139
Toogood, P.L., 289

Uggerud, E., 13

Vaglio, G.A., 63
van Amerom, F.H.W., 7
van der Hart, W.J., 7

Walker, B., 99
Wang, J., 233
Weaver, M.J., 403
Wesdemiotis, C., 45
Westmore, J.B., 53
Willett, G.D., 53, 73
Wincel, H., 31
Witt, M., 243
Wyttenbach, T., 243

Yim, Y.H., 423
Yu, Y.-Q., 253

Zhou, L., 335
Zubarev, R.A., 1

ELSEVIER

International Journal of Mass Spectrometry 182/183 (1999) 439–444

International Journal of Mass Spectrometry

Subject index

Ab initio calculations
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
Ab initio theory
Oxidation properties of the early transition-metal dioxide cations MO_2^+ (M = Ti, V, Zr, Nb) in the gas-phase, 85
Adenine radical cation
Intrinsic acidity and redox properties of the adenine radical cation, 253
Ammonia
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
Atmospheric gases
Reactions of Cu^+(^1S and ^3D) with O_2, CO, CO_2, N_2, NO, N_2O, and NO_2 studied by guided ion beam mass spectrometry, 99

Binding sites
Novel method for $[M + Cu]^+$ ion formation by matrix-assisted laser desorption ionization, 185
Bond energies
Reactions of Cu^+(^1S and ^3D) with O_2, CO, CO_2, N_2, NO, N_2O, and NO_2 studied by guided ion beam mass spectrometry, 99
Bond strengths
Bond strengths in cyclopentadienyl metal carbonyl anions, 149
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121

Carbonyl ligands
Gas phase ion molecule chemistry of tetracarbonyl (η^5-cyclopentadienyl) vanadium by Fourier transform ion cyclotron resonance, 139
Charge reversal
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
Charge separation
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349
C–H bond activation
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb^+ and Ta^+ with toluene and picoline, 197
Chirality
Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
Chloride transfer
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349
Chlorinated methanes
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349
Chlorine
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349
Chlorotitanium ions
Bond dissociation and internal energies of the gas phase $TiCl_n^+$ ions formed by 70 eV electron impact ionization: an ion beam study, 163
Cl_2O
Gas phase reactions of Cl_2O with $X^-(D_2O)_{n=0-4}$ (X = O, OD, O_2, DO_2, and O_3), 31
Cluster ions
Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415
Collisional activation
Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275

Collisionally activated dissociation
Electron capture versus energetic dissociation of protein ions, 1
Collision-induced dissociation
Bond dissociation and internal energies of the gas phase $TiCl_n^+$ ions formed by 70 eV electron impact ionization: an ion beam study, 163
Bond strengths in cyclopentadienyl metal carbonyl anions, 149
Copper ions
Reactions of Cu^+(^1S and ^3D) with O_2, CO, CO_2, N_2, NO, N_2O, and NO_2 studied by guided ion beam mass spectrometry, 99
Cu^+
Novel method for $[M + Cu]^+$ ion formation by matrix-assisted laser desorption ionization, 185
Cyclodepsipeptides
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
Cyclodextrin
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261
Cyclopentadienyl metal carbonyls
Bond strengths in cyclopentadienyl metal carbonyl anions, 149

Deprotonation
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
Deuterium isotope effects
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
Deuterium labeled amines
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
Dialkyl tartrate molecular recognition
Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
Differentially heated capillary
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261
Dilithium fluoride
Hypermetallic dilithium fluoride, Li_2F, and its cation and anion: a combined dissociation and charge permutation study, 45
Dimensional scaling
Phase transitions and the stability of atomic and molecular ions, 23
Disulfide bond
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233

Effective temperature
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
Electrified metal-vacuum interfaces
Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403
Electron capture dissociation
Electron capture versus energetic dissociation of protein ions, 1
Electrospray ionization
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
H/D exchange reactions of protonated diglycine; an electrospray ionization—flow tube reactor experiment, 213
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415
Energy barriers
Calculated energy barriers for the identity S_N2 reaction $H_2O + CH_3OH_2^+ \rightarrow {}^+H_2OCH_3 + OH_2$ in the gas phase, in water clusters, and in aqueous solution, 13
Energy deposition
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423
Equilibrium constants
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
Ethanol
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121

Finite size scaling
Phase transitions and the stability of atomic and molecular ions, 23
Flowing afterglow
Bond strengths in cyclopentadienyl metal carbonyl anions, 149
Fluorobenzenes
Reactions of Au^+ and Au^- with benzene and fluorine-substituted benzenes, 175

Fourier transform ion cyclotron resonance mass spectrometry
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
Gas phase ion molecule chemistry of tetracarbonyl (η^5-cyclopentadienyl) vanadium by Fourier transform ion cyclotron resonance, 139
Intrinsic acidity and redox properties of the adenine radical cation, 253
Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes M@C_{60}, 335
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221
Reactions of Au^+ and Au^- with benzene and fluorine-substituted benzenes, 175
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
Four-sector mass spectrometry
Ligand displacement reactions of dimer and trimer pyridyl ligand/transition metal complexes, 311
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
Fragmentation
Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes M@C_{60}, 335
Fullerene ions
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349

Gas and liquid phases
Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
Gas phase ion chemistry
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
Gas phase ion chemistry of molybdenum hexacarbonyl, 53
Gas phase ion molecule chemistry of tetracarbonyl (η^5-cyclopentadienyl) vanadium by Fourier transform ion cyclotron resonance, 139
Gas phase ion-molecule reactions
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb^+ and Ta^+ with toluene and picoline, 197
Gas phase reactions
Gas phase reactions of Cl_2O with $X^-(D_2O)_{n=0-4}$ (X = O, OD, O_2, DO_2, and O_3), 31
Germanium hydrides
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
Glycine
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
Gold cations
Reactions of Au^+ and Au^- with benzene and fluorine-substituted benzenes, 175
Guided ion beams
Reactions of Cu^+(^1S and ^3D) with O_2, CO, CO_2, N_2, NO, N_2O, and NO_2 studied by guided ion beam mass spectrometry, 99

H/D exchange
H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213
$H_2O + CH_3OH^+_2 \rightarrow {}^+H_2OCH_3 + OH_2$
Calculated energy barriers for the identity S_N2 reaction $H_2O + CH_3OH_2^+ \rightarrow {}^+H_2OCH_3 + OH_2$ in the gas phase, in water clusters, and in aqueous solution, 13
Hybrid mass spectrometer
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415
Hydrogen/deuterium exchange
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
Hypermetalated or hypermetallic species
Hypermetallic dilithium fluoride, Li_2F, and its cation and anion: a combined dissociation and charge permutation study, 45

Impulsive dynamics
Reactions of Cu^+(^1S and ^3D) with O_2, CO, CO_2, N_2, NO, N_2O, and NO_2 studied by guided ion beam mass spectrometry, 99
Ion activation
Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275
Ion chromatography
On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243

Ion complexes
H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213
Ion deposition
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423
Ion internal temperature
Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275
Ionized adenine
Intrinsic acidity and redox properties of the adenine radical cation, 253
Ion mobility
On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243
Ion-molecule reaction
Adducts and dimers of SF_n^+ (n = 1–5) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369
Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221
Reactions of Au^+ and Au^- with benzene and fluorine-substituted benzenes, 175
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
Ion structure
On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243
Ion trap mass spectrometry
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289

Kinetic energy release
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
Kinetic method
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
Kinetics
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221

Laser ablation
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
Liquid secondary ion mass spectrometry
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415

Mass spectrometry
Oxidation properties of the early transition-metal dioxide cations MO_2^+ (M = Ti, V, Zr, Nb) in the gas-phase, 85
Matrix-assisted laser desorption ionization
Novel method for $[M + Cu]^+$ ion formation by matrix-assisted laser desorption ionization, 185
Memorial
Ben Sherman Freiser Remembered, xi
Professor Ben S. Freiser, 1951–1997, xiii
Metal dioxides
Oxidation properties of the early transition-metal dioxide cations MO_2^+ (M = Ti, V, Zr, Nb) in the gas-phase, 85
Metal ions
Novel mixed ligand sandwich complexes: competitive binding of iron with benzene, coronene, and C_{60}, 323
Metallic clusters
Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403
Metallofullerenes
Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes $M@C_{60}$, 335
Methyl isobutyrate
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
Methyl methacrylate
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
[M–H] anions, cations, neutrals
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
Molecular dielectrics
Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403
Molybdenum hexacarbonyl
Gas phase ion chemistry of molybdenum hexacarbonyl, 53
Monosaccharide
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299

Multiply charged gaseous cations
Electron capture versus energetic dissociation of protein ions, 1

Nb^+ and Ta^+
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb^+ and Ta^+ with toluene and picoline, 197
Negative ions
Phase transitions and the stability of atomic and molecular ions, 23
Neutralization-reionization
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
Hypermetallic dilithium fluoride, Li_2F, and its cation and anion: a combined dissociation and charge permutation study, 45
Noncovalently bound complex
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261

Organometallic complexes
Novel mixed ligand sandwich complexes: competitive binding of iron with benzene, coronene, and C_{60}, 323
Oxidation
Oxidation properties of the early transition-metal dioxide cations MO_2^+ (M = Ti, V, Zr, Nb) in the gas-phase, 85
Oxygen reactivity
Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes $M@C_{60}$, 335

Pentaquadrupole mass spectrometry
Adducts and dimers of SF_n^+ (n = 1–5) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369
Peptide
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261
H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213
Novel method for $[M + Cu]^+$ ion formation by matrix-assisted laser desorption ionization, 185
Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221
Peptide conformation
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
Peptide sequencing
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
Phase transitions
Phase transitions and the stability of atomic and molecular ions, 23
Phosphine
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
Photodissociation
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
Novel mixed ligand sandwich complexes: competitive binding of iron with benzene, coronene, and C_{60}, 323
Photoexcitation
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
Photon-induced bimolecular proton transfer
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
Picoline
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb^+ and Ta^+ with toluene and picoline, 197
1-Propanol
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
Protein sequencing
Electron capture versus energetic dissociation of protein ions, 1
Proton affinity
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
Protonated naphthalene
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
Proton bound dimers
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
PSD
Novel method for $[M + Cu]^+$ ion formation by matrix-assisted laser desorption ionization, 185
Pyridyl ligands
Ligand displacement reactions of dimer and trimer pyridyl ligand/transition metal complexes, 311

Quadrupole ion trap
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299

Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275

Ring cleavage
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb^+ and Ta^+ with toluene and picoline, 197

Salt bridge
On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243

$Sc(OCD_3)_2^+$
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121

Selected ion flow tube
Chlorination of charged buckyballs: reactions of C_{60}^{x+} cations (x = 1–3) with Cl_2, CCl_4, $CDCl_3$, CH_2Cl_2, and CH_3Cl, 349
H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213

Self-assembled monolayers
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423

SF_6
Adducts and dimers of SF_n^+ (n = 1–5) with benzene, acetonitrile, and pyridine. Gase-phase generation and ab initio structures and thermochemistry, 369

SF_n^+: SF_5^+, $SF_4^{+\cdot}$, SF_3^+, $SF_2^{+\cdot}$, SF^+
Adducts and dimers of SF_n^+ (n = 1–5) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369

S_N2 reaction
Calculated energy barriers for the identity S_N2 reaction $H_2O + CH_3OH^+{}_2 \rightarrow {}^+H_2OCH_3 + OH_2$ in the gas phase, in water clusters, and in aqueous solution, 13

Soft landing
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423

Solvation
Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403

Specific sodium-ion interaction
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289

Stability of atoms
Phase transitions and the stability of atomic and molecular ions, 23

Stereochemistry
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299

Superalkalis
Hypermetallic dilithium fluoride, Li_2F, and its cation and anion: a combined dissociation and charge permutation study, 45

Surface-induced dissociation
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423

Tandem mass spectrometry
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203

Toluene
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb^+ and Ta^+ with toluene and picoline, 197

Transition metal
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299
Ligand displacement reactions of dimer and trimer pyridyl ligand/transition metal complexes, 311

Vanadium oxide cluster anions
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73

Vanadium oxides
Oxidation properties of the early transition-metal dioxide cations MO_2^+ (M = Ti, V, Zr, Nb) in the gas-phase, 85

Water
Sigma-bond metathesis reactions of $Sc(OCD_3)_2^+$ with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121

$X^-(D_2O)_{n=0-4}$ (X = O, OD, O_2, DO_2, and O_3)
Gas phase reactions of Cl_2O with $X^-(D_2O)_{n=0-4}$ (X = O, OD, O_2, DO_2, and O_3), 31